INDEX

VOLUME 13 1986–87

Aanderud L.: *see* Pitkanen J.
Abe O.: *see* Aikawa N.
Abstracts, 80, 165, 253, 334, 422, 494
Adam A.: *see* Faymonville M.E.
Admissions to a new burn unit in Gizan, Saudi Arabia, 286
Ahnefeld F.W.: *see* Mehrkens H.H.
Aihua X.: *see* Zhengyu Q.
Aikawa N., Shinozawa Y., Ishibiki K., Abe O., Yamamoto S., Motegi M., Yoshii H. and Sudoh M.: Clinical analysis of multiple organ failure in burned patients, 103
Alexander J.W.: *see* Lai C.S.
Alexander J.W.: *see* Waymack J.P.
Allo M.: *see* Moran K.T.
Alpha haemolysin production in the burn wound, screening of burn wound isolates and evidence for, Staphylococcal toxins, 462
Amniotic membranes, the use of silver nitrate-incorporated, as a temporary dressing, 159
Anaphylatoxin formation in plasma and burn bullae fluid in the thermally injured patient, 185
Anaphylotoxin levels following thermal injury, 266
Anastakis D.J., Peters W.J. and Lee K.C.: Severe peripheral burn polyneuropathy: a case report, 232
Aneurysm, anastomotic false, a severe complication: early vascular grafting to prevent upper extremity necrosis after electrical burns, 313
Antibiotics, enteral, lack of effect of, on the post-burn hypermetabolic response, 365
Antimicrobial activity, in vitro, a laboratory method to evaluate formulation effects on, of topical creams and ointments, 204
Antimicrobial agents in burns, topical, experimental study on, 277
Aoyama H., Izawa Y., Nishizaki A. and Okuda J.: Optimal conditions for injection of tobramycin and cefmenoxime into burn patients, 269
Ardawi M.S.M. and Newsholme E.A.: Maximal activities of glutaminase and some enzymes of glycolysis and ketone body utilization and rates of utilization of glutamine, glucose and ketone bodies by intestinal mucosa after burn injury, 438
Arturson G.: The tragedy of San Juanico – the most severe LPG disaster in history, 87
ASIF bone screws, means of, management of lower limb burns using suspension of the leg by. An analysis of the results, 245
Aussel C.: *see* Vaubourdolle M.
Autoantibodies in 16 patients with extensive burns and a review of the literature, 469
Azmy A.A.F., Raine P.A.M., Gray G. and Robertson L.: Perianal burns in children: a plan of management, 419
Azmy A.F.: *see* McKee R.F.

Babcock G.F.: *see* Lai C.S.
Baobin H.: *see* Kunyuan J.
Barisoni D.: *see* Governa M.
Bartle E.J., Wang X.W. and Miller G.J.: Early vascular grafting to prevent upper extremity necrosis after electrical burns: anastomotic false aneurysm, a severe complication, 313
Bartle E.J.: *see* Wang X.W.
Baux S., Mimoun M., Kirsch J.M., Zumer L. and Berard V.: Treatment of elbow contractures in burns, 241
Bayraktar U.: *see* Haberal M.
Beach-fire burns in San Diego County, 416
Ben Yakar Y.: *see* Mahler D.
Ben-Meir P.: *see* Sagi A.
Ben-Meir P.: *see* van Straten O.
Benedetti E.: *see* Governa M.
Bengtson A. and Heideman M.: Anaphylatoxin formation in plasma and burn bullae fluid in the thermally injured patient, 185
Benmeir P.: *see* Mahler D.
Bennett G.: *see* Hunt J.L.
Berard V.: *see* Baux S.
Betadine cream formation, new, a study to assess the effects of, compared to a standard topical treatment regimen for burns, 75
Bilgin N.: *see* Haberal M.
Biochemical investigations after burning injury: complement system, protease-antiprotease balance and acute-phase reactants, 26
Blood gas studies in dogs with severe inhalation injury, 371
Bodson L.: *see* Faymonville M.E.

INDEX

VOLUME 13 1986–87

Aanderud L.: *see* Pitkanen J.
Abe O.: *see* Aikawa N.
Abstracts, 80, 165, 253, 334, 422, 494
Adam A.: *see* Faymonville M.E.
Admissions to a new burn unit in Gizan, Saudi Arabia, 286
Ahnefeld F.W.: *see* Mehrkens H.H.
Aihua X.: *see* Zhengyu Q.
Aikawa N., Shinozawa Y., Ishibiki K., Abe O., Yamamoto S., Motegi M., Yoshii H. and Sudoh M.: Clinical analysis of multiple organ failure in burned patients, 103
Alexander J.W.: *see* Lai C.S.
Alexander J.W.: *see* Waymack J.P.
Allo M.: *see* Moran K.T.
Alpha haemolysin production in the burn wound, screening of burn wound isolates and evidence for, Staphylococcal toxins, 462
Amniotic membranes, the use of silver nitrate-incorporated, as a temporary dressing, 159
Anaphylatoxin formation in plasma and burn bullae fluid in the thermally injured patient, 185
Anaphylotoxin levels following thermal injury, 266
Anastakis D.J., Peters W.J. and Lee K.C.: Severe peripheral burn polyneuropathy: a case report, 232
Aneurysm, anastomotic false, a severe complication: early vascular grafting to prevent upper extremity necrosis after electrical burns, 313
Antibiotics, enteral, lack of effect of, on the post-burn hypermetabolic response, 365
Antimicrobial activity, in vitro, a laboratory method to evaluate formulation effects on, of topical creams and ointments, 204
Antimicrobial agents in burns, topical, experimental study on, 277
Aoyama H., Izawa Y., Nishizaki A. and Okuda J.: Optimal conditions for injection of tobramycin and cefmenoxime into burn patients, 269
Ardawi M.S.M. and Newsholme E.A.: Maximal activities of glutaminase and some enzymes of glycolysis and ketone body utilization and rates of utilization of glutamine, glucose and ketone bodies by intestinal mucosa after burn injury, 438
Arturson G.: The tragedy of San Juanico – the most severe LPG disaster in history, 87
ASIF bone screws, means of, management of lower limb burns using suspension of the leg by. An analysis of the results, 245
Aussel C.: *see* Vaubourdolle M.
Autoantibodies in 16 patients with extensive burns and a review of the literature, 469
Azmy A.A.F., Raine P.A.M., Gray G. and Robertson L.: Perianal burns in children: a plan of management, 419
Azmy A.F.: *see* McKee R.F.

Babcock G.F.: *see* Lai C.S.
Baobin H.: *see* Kunyuan J.
Barisoni D.: *see* Governa M.
Bartle E.J., Wang X.W. and Miller G.J.: Early vascular grafting to prevent upper extremity necrosis after electrical burns: anastomotic false aneurysm, a severe complication, 313
Bartle E.J.: *see* Wang X.W.
Baux S., Mimoun M., Kirsch J.M., Zumer L. and Berard V.: Treatment of elbow contractures in burns, 241
Bayraktar U.: *see* Haberal M.
Beach-fire burns in San Diego County, 416
Ben Yakar Y.: *see* Mahler D.
Ben-Meir P.: *see* Sagi A.
Ben-Meir P.: *see* van Straten O.
Benedetti E.: *see* Governa M.
Bengtson A. and Heideman M.: Anaphylatoxin formation in plasma and burn bullae fluid in the thermally injured patient, 185
Benmeir P.: *see* Mahler D.
Bennett G.: *see* Hunt J.L.
Berard V.: *see* Baux S.
Betadine cream formation, new, a study to assess the effects of, compared to a standard topical treatment regimen for burns, 75
Bilgin N.: *see* Haberal M.
Biochemical investigations after burning injury: complement system, protease-antiprotease balance and acute-phase reactants, 26
Blood gas studies in dogs with severe inhalation injury, 371
Bodson L.: *see* Faymonville M.E.

UMI

INCORRECT YEAR. SHOULD READ 1987.

Brack G.: *see* Campbell J.L.
Bradford fire, most severely burned victims of, a one-year psychological follow-up of, 411
Brain surface exposure to CO_2 and NdYag laser application: effect on pulmonary endothelium response in the rat, 22
Brizio-Molteni L., Quigley M., Cerullo L., Fitzsimons J., Solliday N.H. and Molteni A.: Brain surface exposure to CO_2 and NdYag laser application: effect on pulmonary endothelium response in the rat, 22
Broad J.A.: *see* Khoosal D.I.
Brown M., Traber D.L., Herndon D.N., Oldham K.T. and Traber L.D.: The use of venovenous extracorporeal membrane oxygenation in sheep receiving severe smoke inhalation injury, 34
Bult A.: *see* van Saene J.J.M.
Burn Care Educational Materials, 164
Burn dressing, design of, 377
Burn treatment in a new burn unit in Gizan, Saudi Arabia, 290
Burt A.: *see* Eldad A.

Campbell J.L., La Clave L.J. and Brack G.: Clinical depression in paediatric burn patients, 213
Carbamazepine-induced facial burns caused by a photocopier, 322
Cassidy M.: *see* Zamboni W.A.
Cefmenoxime and tobramycin, optimal conditions for injection of, into burn patients, 269
Cerullo L.: *see* Brizio-Molteni L.
Cheng U.L.: *see* Ge S.D.
Chenghui F.: *see* Jinhan L.
Childhood burns in Zaria, Nigeria, 298
Children, hand burns in, under age 5 years, 476
Children, perianal burns in: a plan of management, 419
Cholecystitis, acalculous, in association with major burns, 488
Clark J.A.: *see* Eldad A.
Colloid osmotic pressures, transcapillary, in injured and non-injured skin of seriously burned patients, 198
Comfort care: an alternative treatment programme for seriously burned patients, 1
Coudray-Lucas C.: *see* Vaubourdolle M.
Courtney J.M.: *see* Queen D.
Creams and ointments, topical, a laboratory method to evaluate formulation effects on the in vitro antimicrobial activity of, 204
Creams, different, release and antimicrobial activity of silver sulphadiazine from, 123
Creatinine phosphokinase values in electrical and thermal burns, 309
Cyclosporin A and silver sulphadiazine, topical, combined use of, on allografts infected with Pseudomonas in burned rats, 181
Cynober L.: *see* Vaubourdolle M.

Davey R.B.: *see* Perkins K.
Davey R.B.: *see* Spencer D.S.
Davies J.W.L.: *see* Wang X.W.
Davison P.: *see* Handifield-Jones S.
Depression, clinical, in paediatric burn patients, 213
Developing countries, burns in, problems and prevention of, 382
Developing countries, massive burns in, hospital management of, 386
Ding Y.L., Pu S.S., Pan Z.L., Lu X., Miao S.G., Han C.M. and Wang F.: Extensive scalds following accidental immersion in hot water pools, 305
Disaster, LPG, the most severe, in history – the tragedy of San Juanico, 87
Dominic W.: *see* Field Jr T.O.
Dominic W.J.: *see* Field T.O.
Dressing, burn wound, evaluation of gaseous transmission (O_2 and CO_2) through, 357
ten Duis H.J., Klasen J.J., Nijsten M.W.N. and Pietronero L.: Superficial lightning injuries – their 'fractal' shape and origin, 141
ten Duis H.J.: *see* Klasen H.K.

Elberg J.J., Schroder H.A., Glent-Madsen L. and Hall K.V.: Burns: epidemiology and the effect of a prevention programme, 391
Elbow contractures in burns, treatment of, 241
Eldad A., Burt A., Clark J.A. and Gusterson B.: Cultured epithelium as a skin substitute, 173
Electric cables, buried, burns from, 131
Electrical and thermal burns, creatinine phosphokinase values in, 309
Electrical burns to the hand from lawn-mowers, 248
Electrical burns, deep, to the scalp, 62
Electrical burns, primary reconstruction of, island flaps in, 236
Enzyme deficiency, inherited, resulting in hyperammonaemia and coma in a burn patient, 229
Epidemiological study. The nursing home patient – a burn-prone person, 484
Epidemiology and the effect of a prevention programme: burns, 391
Epidemiology of adults' and childrens' burns in a Turkish burn center, 136
Epithelium, cultured, as a skin substitute, 173
Ericksson E.: *see* Zamboni W.A.
Evans J.H.: *see* Queen D.
Eve M.D.: *see* Gault D.T.
Eve M.D.: *see* Zoltie N.
Everitt A.S.: *see* Gault D.T.

Face burn construction – does early excision and autografting improve aesthetic appearance? 39
Facial burns, carbamazepine-induced, caused by a photocopier, 322
Fader R.C., Halls P.J. and Koo F.C.W.: Staphylococcal toxins. Screening of burn wound isolates and evidence for alpha haemolysin production in the burn wound, 462
Fader R.C.: *see* Linares H.A.
Faming C.: *see* Kunyuan J.,
Fang Z.Y.: *see* Ge S.D.
Fara M.: *see* Jira M.

Fara M.: *see* Polacek V.
Faymonville M.E., Micheels J., Bodson L., Jacquemin D., Lamy M., Adam A. and Duchateau J.: Biochemical investigations after burning injury: complement system, protease-antiprotease balance and acute-phase reactants, 26
Feller I.: *see* Prasad J.K.
Fibronectin levels, plasma, in burn patients, changes in, 114
Field Jr T.O., Dominic W. and Hansbrough J.: Beach-fire burns in San Diego County, 416
Field T.O., Dominic W.J. and Hansbrough J.F.: An inherited enzyme deficiency resulting in hyperammonaemia and coma in a burn patient, 229
Fire coral (*Millepora dichotoma*) as a cause of burns: a case report, 325
First aid for burns and scald, recommended. British Burn Association, 153
Fitzsimons J.: *see* Brizio-Molteni L.
Fluid resuscitation with hypertonic salt solutions in experimental burn shock, 52
Fowler C.A.: *see* Wilson G.R.
'Fractal' shape and origin – superficial lightning injuries, 141
Frank H.A.: *see* Wachtel T.A.

Gamgee, a century after, 77
Gaseous transmission (O_2 and CO_2), evaluation of, through burn wound dressings, 357
Gastrointestinal haemorrhage in burn patients, 194
Gault D.T. and Eve M.D.: Burns from buried electric cables, 131
Gault D.T., Everitt A.S., Gordon P.W.N., Eve M.D. and Moody F.M.: Serum cholinesterase levels after thermal injury. Is treatment required?, 208
Gaylor J.D.S.: *see* Queen D.
Ge S.D., Hu Z.I., Cheng U.L., Fang Z.Y., Tu S.Z., Xu B.R. and Jiang X.T.: Experimental study on topical antimicrobial agents in burns, 277
Ghali M.T.: *see* Larsen J.
Giboudeau J.: *see* Vaubourdolle M.
Glent-Madsen L.: *see* Elberg J.J.
Glucose, absorption of, from the intestine following experimental scald injury in rats, 445
Glutaminase, maximal activities of, and some enzymes of glycolysis and ketone body utilization and rates of utilization of glutamine, glucose and ketone bodies by intestinal mucosa after burn injury, 438
Glycolysis and ketone body utilization, maximal activities of glutaminase and some enzymes of, and rates of utilization of glutamine, glucose and ketone bodies by intestinal mucosa after burn injury, 438
Gonce S.J.: *see* Lai C.S.
Gordon P.W.N.: *see* Gault D.T.
Governa M. Benedetti E., Lorenzini M. and Barisoni D.: Autoantibodies in 16 patients with extensive burns and a review of the literature, 469
Grafting, early vascular, to prevent upper extremity necrosis after electrical burns: anastomotic false aneurysm, a severe complication, 313
Gray G.: *see* Azmy A.A.F.
Greber B.: *see* Mahler D.
Gurumurthy: *see* Larsen J.
Gusterson B.: *see* Eldad A.

Haberal M., Mavi V. and Oner G.: The stabilizing effect of vitamin E, selenium and zinc on leucocyte membrane permeability: a study in vitro, 118
Haberal M., Oner Z., Bayraktar U. and Bilgin N.: Epidemiology of adults' and childrens' burns in a Turkish burn center, 136
Haberal M., Oner Z., Bayraktar U. and Bilgin N.: The use of silver nitrate-incorporated amniotic membranes as a temporary dressing, 159
Hackett M.E.J.: *see* Zoltie N.
Haematopoietic response to burning: studies in a splenectomized animal model, 15
Haematopoiesis, topical agents on, effect of, following thermal injury: studies on an animal model, 259
Hals P.J.: *see* Fader R.C.
Hall K.V.: *see* Elberg J.J.
Hall K.V.: *see* Larsen J.
Hall P.N.: *see* Herd A.N.
Han C.M.: *see* Ding Y.L.
Hand burns in children under age 5 years, 476
Hand, burned, the Spencer Op-Site Applicator, a new technique for treating the, 330
Hand, burned, treatment of,: early surgical treatment (1975-85) vs. conservative treatment (1964-74). A comparative study, 45
Hand, electrical burns to, from lawn-mowers, 248
Handfield-Jones S., Davison P., Wilson G. and Millard L.: Toxic epidermal necrolysis complicating a burn: a case report, 318
Hansbrough J.D.: *see* Field T.O.
Hauben D.: *see* Mahler D.
Hauben D.J.: *see* Sagi A.
Heideman M.: *see* Bengtson A.
Herd A.N., Hall P.N., Widdowson P. and Tanner N.S.B.: Mesh grafts – an 18 month follow-up, 57
Herndon D.N.: *see* Brown M.
Heyd T.J.: *see* Waymack J.P.
Higuchi D., Sei Y., Suzuki T. and Takiuchi I.: Management of wounds treated by thrombin coagulation, 75
Hilton J.G., McPherson M.B. and Marullo D.S.: Effects of blockade of vasopressin V-1 receptors on postburn myocardial depression, 454
Holmes C.J.: *see* Love D.
Housden P.L.: *see* Wilson G.R.
Hu Z.I.: *see* Ge S.D.
Hunt J.L., Purdue G.F., Spicer T., Bennett G. and Range S.: Face burn reconstruction – does early excision and autografting improve aesthetic appearance? 39
Hussein M.M.: *see* Said R.A.
Hydrotherapy, severe hyponatraemia in burn patients, secondary to, 327
Hyperammonaemia and coma in a burn patient, an inherited enzyme deficiency resulting in, 229

Hypermetabolic response, post-burn, lack of effect of enteral antibiotics on the, 365
Hyponatraemia, severe, in burn patients secondary to hydrotherapy, 327

Immunoglobulin E (1GE) in severe burn patients, 458
Inhalation injury, severe, blood gas studies in dogs with, 371
Inoue S.: *see* Narita H.
Interleukin (IL-2), human recombinant, effect of, on peripheral blood mononuclear cells of burned patients, 110
Ishibiki K.: *see* Aikawa N.
Island flaps in the primary reconstruction of electrical burns, 236
Izawa Y.: *see* Aoyama H.

Jacobs L.S., de Kock M. and van der Merwe A.E.: Oral hyperalimentation and the prevention of severe weight loss in burned patients, 154
Jacquemin D.: *see* Faymonville M.E.
Jenkins A.M. and Pegg S.P.: Island flaps in the primary reconstruction of electrical burns, 236
Jenkins A.M.: *see* Pegg S.P.
Jia X.M.: *see* Sheng Z.Y.
Jiang X.T.: *see* Ge S.D.
Jin P.: *see* Kunyuan J.
Jin R.X.: *see* Wang X.W.
Jinhan L. and Chenghui F.: Treatment for severe burns of the chest wall with special reference to the involved ribs, 398
Jira M., Polacek V., Fara M., Strejcek J. and Konigova R.: Effect of human recombinant interleukin (IL-2) on peripheral blood mononuclear cells of burned patients, 110
Jira M.: *see* Polacek V.

Katz J.: *see* Wallner S.F.
Keratinocytes, cultured human, growth of, on fibrous dermal collagen: a scanning electron microscope study, 343
Khoosal D.I., Broad J.A., Smith R.J. and Settle J.A.D.: A one-year psychological follow-up of the most severely burned victims of the Bradford fire, 411
Khwaja M.S.: *see* Mabogunje O.A.
Kikuchi I.: *see* Narita H.
Kim K.H. and Tsuneda K.: A case of perianal burn, 396
Kirsch J.M.: *see* Baux S.
Klasen H.J. and ten Duis H.J.: Early oral feeding of patients with extensive burns, 49
Klasen H.J.: *see* ten Duis H.J.
de Kock M. and van der Merwe A.E.: A study to assess the effects of a new Betadine cream formulation compared to a standard topical treatment regimen for burns, 69
de Kock M.: *see* Jacobs L.S.
Konigova R.: *see* Jira M.
Konigova R.: *see* Polacek V.
Koo F.C.W.: *see* Fader R.C.
Kreis R.W.: *see* Vloemans A.F.P.M.
Kubey W.: *see* Love D.
Kunyuan J., Li Ao (Ngao), Jin P., Peifang Z., Baobin H. Faming C., Weikun L., Tianyi W. and Zhengzhong W.: Blood gas studies in dogs with severe inhalation injury, 371

La Clave L.J.: *see* Campbell J.L.
Lai C.S., Miskell P., Gonce S.J., Alexander J.W. and Babcock G.F.: Combined use of topical Cyclosporin A and silver sulphadiazine on allografts infected with Pseudomonas in burned rats, 181
Lai X.J.: *see* Sheng Z.Y.
Lamy M.: *see* Faymonville M.E.
Larsen J., Gurumurthy, Ghali M.T. and Hall K.V.: Admissions to a new burn unit in Gizan, Saudi Arabia, 286
Larsen J., Gurumurthy, Ghali M.T. and Hall K.V.: Burn treatment in a new burn unit in Gizan, Saudi Arabia, 290
Lawrence J.C.: A century after Gamgee, 77
Lawrence J.C.: British Burn Association. Recommended first aid for burns and scalds, 153
Lawrie J.H.: *see* Mabogunje O.A.
Lee K.C.: *see* Anastakis D.J.
Lee K.C.: *see* Ross D.C.
Leg, management of lower limb burns using suspension of the, by means of ASIF bone screws. An analysis of the results, 245
Lerk C.F.: *see* van Saene J.J.M.
Letters to the Editors, 252, 333, 421, 492
Lightning injuries, superficial – their 'fractal' shape and origin, 141
Linares H.A. and Fader R.C.: Evaluation of topical therapy with silver-kaolin (Argostop) in an experimental model of burn wound sepsis, 281
Lindner K.H.: *see* Mehrkens H.H.
Lioret N.: *see* Vaubourdolle M.
Lorenzini M.: *see* Governa M.
Love D., Kubey W. and Holmes C.J.: A laboratory method to evaluate formation effects on the in vitro antimicrobial activity of topical creams and ointments, 204
Lu X.: *see* Ding Y.L.
Lund T.: *see* Pitkanen J.
Lyngdorf P.: Occupational burn injuries, 294

Mabogunje O.A., Khwaja M.S. and Lawrie J.H.: Childhood burns in Zaria, Nigeria, 298
McPherson M.B.: *see* Hilton J.G.
Mahler D., Benmeir P., Ben Yakar Y., Greber B., Sagi A., Hauben D., Rosenberg L. and Sarov B.: Treatment of the burned hand: early surgical treatment (1975-85) vs. conservative treatment (1964-74). A comparative study, 45
Mahler D.: *see* van Straten O.
Management of wounds treated by thrombin coagulation, 75
Marullo D.S.: *see* Hilton J.G.
Maude S.: *see* Mercer N.S.G.

Mavi V.: *see* Haberal M.
Mehrkens H.H., Lindner K.H., Ahnefeld F.W. and Nonn T.: Fluid resuscitation with hypertonic salt solutions in experimental burn shock, 52
Membrane permeability, leucocyte, the stabilizing effect of Vitamin E, selenium and zinc on: a study in vitro, 118
van der Merwe A.E.: *see* Jacobs L.S.
van der Merwe A.E.: *see* de Kock M.
Mesh grafts – an 18 month follow-up, 57
Meulenhoff A.M.C.: *see* van Saene J.J.M.
Miao S.G.: *see* Ding Y.L.
Micheels J.: *see* Faymonville M.E.
Millard L.: *see* Handfield-Jones S.
Miller G.J.: *see* Bartle E.J.
Mimoun M.: *see* Baux S.
Miskell P.: *see* Lai C.S.
Molteni A.: *see* Brizio-Molteni L.
Mononuclear cells, peripheral blood, of burned patients, effect of human recombinant interleukin (IL-2) on, 110
Moody F.M.: *see* Gault D.T.
Moran K.T., O'Reilly T.J., Allo M. and Munster A.M.: Anaphylotoxin levels following thermal injury, 266
Motegi M.: *see* Aikawa N.
Multiple organ failure, clinical analysis of, in burned patients, 103
Munster A.M.: *see* Moran K.T.
Myocardial depression, postburn, effects of blockade of vasopressin V-1 receptors on, 454

Narita H., Kikuchi I., Ogata K., Inoue S., Uehara K. and Takehara Y.: Smoke inhalation injury from newer synthetic building materials – a patient who survived 205 days, 147
Necrolysis, toxic epidermal, complicating a burn: a case report, 318
Newsholme E.A.: *see* Ardawi M.S.M.
Ngao Li Ao: *see* Kunyuan J.
Nielsen J.A.: *see* Wachtel T.A.
Nigeria, childhood burns in Zaria, 298
Nijsten M.W.N.: *see* ten Duis H.J.
Nishizaki A.: *see* Aoyama H.
Nonn T.: *see* Mehrkens H.H.
Nursing home patient – a burn-prone person. An epidemiological study, 484

Occupational burn injuries, 294
Ogata K.: *see* Narita H.
Okuda J.: *see* Aoyama H.
Oldham K.T.: *see* Brown M.
Oner Z.: *see* Haberal M.
Onuba O. and Udoidiok E.: The problems and prevention of burns in developing countries, 382
Onuba O. and Udoidiok E.: Hospital management of massive burns in the developing countries, 386
Op-Site Applicator, Spencer, a new technique for treating the burned hand, 330
Oral feeding, early, of patients with extensive burn, 49
Oral hyperalimentation and the prevention of severe weight loss in burned patients, 154
O'Reilly T.J.: *see* Moran K.T.
Ornithine α-ketoglutarate, enterally administered, influence of, on hormonal patterns in burn patients, 349
Oxygenation, venovenous extracorporeal membrane, in sheep receiving severe smoke inhalation injury, the use of, 34

Paediatric burn patients, clinical depression in, 213
Pan Z.L.: *see* Ding Y.L.
Pegg S.P. and Jenkins A.M.: Deep electrical burns to the scalp, 62
Pegg S.P.: *see* Jenkins A.M.
Peifang Z.: *see* Kunyuan J.,
Perianal burn, a case of, 396
Perianal burns in children: a plan of management, 419
Perkins K., Davey R.B. and Wallis K.: Current materials and techniques used in a burn scar management programme, 406
Peters W.J.: *see* Anastakis D.J.
Peters W.J.: *see* Ross D.C.
Photocopier, carbamazepine-induced facial burns caused by, 322
Pietronero L.: *see* ten Duis H.J.
Pigott R.W.: *see* Mercer N.S.G.
Pitkanen J., Lund T., Aanderud L. and Reed R.K.: Transcapillary colloid osmotic pressures in injured and non-injured skin of seriously burned patients, 198
Polacek V., Jira M., Fara M., Strejcek J. and Konigova R.: Immunoglobulin E (1GE) in severe burn patients, 458
Polacek V.: *see* Jira M.
Polyneuropathy, severe peripheral burn: a case report, 232
Prasad J.K., Thomson P.D. and Feller I.: Gastrointestinal haemorrhage in burn patients, 194
Prevention programme, epidemiology and the effect of: burns, 391
Price R.J.: *see* Mercer N.S.G.
Psychological follow-up, a one-year, of the most severely burned victims of the Bradford fire, 411
Psychosocial problems among adult burn victims, 7
Pu S.S.: *see* Ding Y.L.
Pulmonary endothelium response in the rat, effect on: brain surface exposure to CO_2 and NdYag laser application, 22
Purdue G.F.: *see* Hunt J.L.

Queen D., Evans J.H., Gaylor J.D.S., Courtney J.M. and Reid W.H.: Burn wound dressings – a review, 218
Queen D., Gaylor J.D.S., Evans J.H., Courtney J.M. and Reid W.H.: Evaluation of gaseous transmission (O_2 and CO_2) through burn wound dressings, 357
Qui P.J.: *see* Sheng Z.Y.
Quigley M.: *see* Brizio-Molteni L.
Quinn K.J.: Design of a burn dressing, 377

Raine P.A.M.: *see* Azmy A.A.F.
Raine P.A.M.: *see* McKee R.F.
Range S.: *see* Hunt J.L.
Recent References, 83, 167, 255, 338, 425, 496
Reed R.K.: *see* Pitkanen J.
Reid W.H.: *see* Queen D.
Renal calculi in the burned child, 190
Ribs, involved, treatment for severe burns of the chest wall with special reference to, 398
Robertson L.: *see* A.A.F.
Rosenberg L.: *see* Sagi A.
Ross D.C., Lee K.C. and Peters W.J.: Acalculous cholecystitis in association with major burns, 488

van Saene J.J.M., Trooster J.F.G., Meulenhoff A.M.C., Lerk C.F. and Bult A.: Release and antimicrobial activity of silver sulphadiazine from different creams, 123
Sagi A., Rosenberg L., Ben-Meir P. and Hauben D.J.: The fire coral (*Millepora dichotoma*) as a cause of burns: a case report, 325
Sagi A.: *see* Mahler D.
Said R.A. and Hussein M.M.: Severe hyponatraemia in burn patients secondary to hydrotherapy, 327
Saizy R.: *see* Vaubourdolle M.
Salt solutions, hypertonic, fluid resuscitation with, in experimental burn shock, 52
San Diego County, beach-fire burns in, 416
San Juanico, tragedy of – the most severe LPG disaster in history, 87
Saudi Arabia, admissions to a new burn unit in Gizan, 286
Saudi Arabia, burn treatment in a new burn unit in Gizan, 290
Scald injury in rats, experimental, absorption of glucose from the intestine following, 445
Scalds, extensive, following accidental immersion in hot water pools, 305
Scalp, deep electrical burns to, 62
Scar management programme, burn, current materials and techniques used in a, 406
Schroder H.A.: *see* Elberg J.J.
Sei Y.: se Higuchi D.
Settle J.A.D.: *see* Khoosal D.I.
Severe burns, treatment for, of the chest wall with special reference to the involved ribs, 398
Shakespeare P.G.: Current trends in skin cell culture: Meeting report, 394
Shakespeare P.G.: *see* Shakespeare V.A.
Shakespeare V.A. and Shakespeare P.G.: Growth of cultured human keratinocytes on fibrous dermal collagen: a scanning electron microscope study, 343
Sheng Z.Y., Xu S.H. Jia X.M., Lai X.J., Wan S.Y. and Qui P.J.: Changes in plasma fibronectin levels in burn patients, 114
Shinozawa Y.: *see* Aikawa N.
Silver-kaolin (Argostop), evaluation of topical therapy with, in an experimental model of burn wound sepsis, 281
Silver nitrate-incorporated amniotic membranes, the use of, as a temporary dressing, 159
Silver sulphadiazine and Cyclosporin A, topical, combined use of, on allografts infected with Pseudomonas in burned rats, 181
Silver sulphadiazine, release and antimicrobial activity of, from different creams, 123
Skin cell culture, current trends in: Meeting report, 394
Skin substitute, cultured epithelium as, 173
Smith R.J.: *see* Khoosal D.I.
Smoke inhalation injury from newer synthetic building materials – a patient who survived 205 days, 147
Smoke inhalation injury, severe, the use of venovenous extracorporeal membrane oxygenation in sheep receiving, 34
Solliday N.H.: *see* Brizio-Molteni L.
Spaabaek J.: *see* Trier H.
Spencer D.S. and Davey R.B.: The Spencer Op-Site Applicator, a new technique for treating the burned hand, 330
Spicer T.: *see* Hunt J.L.
Splenectomized animal model, studies in: the haematopoietic response to burning, 15
Splinting of burns, new ideas in, 66
Staphylococcal toxins. Screening of burn wound isolates and evidence for alpha haemolysin production in the burn wound, 462
van Straten O., Ben-Meir P., Greber B. and Mahler D.: New ideas in splinting of burns, 66
Strejcek J.: *see* Jira M.
Strejcek J.: *see* Polacek V.
Sudoh M.: *see* Aikawa N.
Sutherland A.B.: Wallace Memorial Lecture 1986, 429
Suzuki T.: *see* Higuchi D.

Takehara Y.: *see* Narita H.
Takiuchi I.: *see* Higuchi D.
Tanner N.S.B. *see* Herd A.N.
Thomson P.D.: *see* Prasad J.K.
Thrombin coagulation, management of wounds treated by, 75
Tianyi W.: *see* Kunyuan J.
Tobramycin and cefmenoxime, optimal conditions for injection of, into burn patients, 269
Traber D.L.: *see* Brown M.
Treatment of the burned hand: early surgical treatment (1975-85) vs. conservative treatment (1964-74). A comparative study, 45
Treatment programme, alternative, for seriously burned patients: comfort care, 1
Treatment regimen, standard topical, a study to assess the effects of a new Betadine cream formulation compared to, 75
Trier H. and Spaabaek J.: The nursing home patient – a burn-prone person. An epidemiological study, 484
Trocki O.: *see* Waymack J.P.
Trooster J.F.G.: *see* van Saene J.J.M.
Tsuneda K.: *see* Kim K.H.
Tu S.Z.: *see* Ge S.D.

Tucker P.: Psychosocial problems among adult burn victims, 7
Turkish burn center, epidemiology adults' and childrens' burns in, 136
Tweddell J.S.: *see* Waymack J.P.

Udoidiok E.: *see* Onuba O.
Uehara K.: *see* Narita H.

Vasopressin V-I receptors, effects of blockade of, on postburn myocardial depression, 454
Vaubourdolle M., Cynober L., Lioret N., Coudray-Lucas C., Aussel C., Saizy R. and Giboudeau J.: Influence of enterally administered ornithine α-ketoglutarate on hormonal patterns in burn patients, 349
Vautrin R.: *see* Wallner S.F.
Vitamin E, selenium and zinc, stabilizing effect of, on leucocyte membrane permeability: a study in vitro, 118
Vloemans A.F.P.M. and Kreis R.W.: Management of lower limb burns using suspension of the leg by means of ASIF bone screws. An analysis of the results, 245

Wachtel T.A., Frank H.A. and Nielsen J.A.: Comfort care: an alternative treatment programme for seriously burned patients, 1
Wallace Memorial Lecture 1986, 429
Wallis K.: *see* Perkins K.
Wallner S.F., Vautrin R. and Katz J.: The haematopoietic response to burning: studies in a splenectomized animal model, 15
Wallner S.F., Vautrin R. and Katz J.: The effect of topical agents on haematopoiesis following thermal injury: studies on an animal model, 259
Wan S.Y.: *see* Sheng Z.Y.
Wang F.: *see* Ding Y.L.
Wang X.W., Jin R.X., Bartle E.J. and Davies J.W.L.: Creatinine phosphokinase values in electrical and thermal burns, 309
Wang X.W.: *see* Bartle E.J.
Ward D.J.: Carbamazepine-induced facial burns caused by a photocopier, 322
Warden G.D.: *see* Waymack J.P.
Water pools, hot, extensive scalds following accidental immersion in, 305
Waymack J.P., Trocki O., Alexander J.W., Heyd T.J. and Warden G.D.: Lack of effect of enteral antibiotics on the post-burn hypermetabolic response, 365
Waymack J.P., Warden G.D. and Tweddell J.S.: Renal calculi in the burned child, 190
Weight loss, severe, in burned patients, oral hyperalimentation and the prevention of, 154
Weikun L.: *see* Kunyuan J.
Widdowson P.: *see* Herd A.N.
Wilson G.: *see* Handfield-Jones S.
Wilson G.R., Fowler C.A. and Housden P.L.: A new burn area assessment chart, 401
Xu B.R.: *see* Ge S.D.
Xu S.H.: *see* Sheng Z.Y.

Yamamoto S.: *see* Aikawa N.
Yoshii H.: *see* Aikawa N.

Zamboni W.A., Cassidy M. and Ericksson E.: Hand burns in children under age 5 years, 476
Zhengyu Q. and Aihua X.: Absorption of glucose from the intestine following experimental scald injury in rats, 445
Zhengzhong W.: *see* Kunyuan J.
Zoltie N., Eve M.D. and Hackett M.E.J.: Electrical burns to the hand from lawn-mowers, 248
Zumer L.: *see* Baux S.